

REPUBLIC OF KENYA



OFFICE OF THE GOVERNOR COUNTY GOVERNMENT OF NYERI

DEPARTMENT OF LANDS, HOUSING AND PHYSICAL PLANNING

TENDER NO. CGN/LH&PP/86/2016-2017

**SUPPLY AND DELIVERY OF SURVEYING TOOLS AND
EQUIPMENTS**

Issued by the County Government of Nyeri, March 2017.

TABLE OF CONTENTS

	PAGE
INTRODUCTION	3
SECTION I INVITATION TO TENDER.....	4
SECTION II INSTRUCTIONS TO TENDERERS.....	5
Appendix to Instructions to Tenderers	21
SECTION III GENERAL CONDITIONS OF CONTRACT.....	23
SECTION IV SPECIAL CONDITIONS OF CONTRACT.....	30
SECTION V TECHNICAL SPECIFICATIONS.....	32
SECTION VI SCHEDULE OF REQUIREMENTS.....	34
SECTION VII PRICE SCHEDULE FOR GOODS.....	35
SECTION VIII STANDARD FORMS.....	36
8.1 FORM OF TENDER.....	37
8.2 CONFIDENTIAL BUSINESS QUESTIONNAIRES FORMS.....	38
8.3 TENDER SECURITY FORM.....	39
8.4 CONTRACT FORM.....	40
8.5 PERFORMANCE SECURITY FORM.....	41
8.6 BANK GUARANTEE FOR ADVANCE PAYMENT FORM.....	42
8.7 MANUFACTURER'S AUTHORIZATION FORM.....	43

Introduction

- 1.1 This Standard Tender Document has been prepared for use by public entities in Kenya
- 1.2 The following general directions should be observed when using the document.
 - (a) Specific details should be furnished in the Invitation to Tender and in the special conditions of contract. The final documents to be provided to the tenderers should not have blank spaces or give options
 - (b) The Instructions to Tenderers and the general conditions of contract should remain unchanged. Any necessary amendments to these parts should be made through the special conditions of contract and the appendix to instructions to tenderers.
- 1.3
 - (a) Information contained in the Invitation to Tender shall conform to the data and information in the tender documents to enable potential tenderers to decide whether or not to participate and shall indicate any important tender requirements.
 - (b) The Invitation to Tender shall be issued as an advertisement in accordance with the regulations or a letter of invitation addressed to tenderers who have expressed interest following the invitation for expression of interest for which the invitation is issued.

SECTION I INVITATION TO TENDER

DATE: 16th March, 2017

TENDER REF NO: CGN/LH&PP/86/2016-2018

TENDER NAME: Supply and delivery of surveying tools and equipments.

- 1.1 The Office of the Governor, Nyeri County, invites sealed bids from eligible candidates for supply and delivery surveying tools and equipments.

Interested eligible candidates may obtain further information from County Procurement Office during normal working hours.

A complete set of tender documents may be obtained by interested candidates by downloading from the County website www.nyeri.go.ke

- 1.2 Completed tender documents are to be enclosed in plain sealed envelopes marked with tender reference number and be deposited in the Tender Box at The Governor's Office, Nyeri County, or be addressed to

The County Secretary,
County Government of Nyeri,
P.O Box 1112- 10100
Nyeri.

so as to be received on or before **31st March, 2017 at 11:00 a.m.**

- 1.3 Prices quoted should be net inclusive of all taxes and delivery must be in Kenya Shillings and shall remain valid for (150) days from the closing date of the tender.
- 1.4 Tenders will be opened immediately thereafter in the presence of the Candidates or their representatives who choose to attend at Deputy Governor's Boardroom Nyeri.

County Secretary
County Government of Nyeri

SECTION II - INSTRUCTIONS TO TENDERERS

Table of Clauses

	Page
2.1 Eligible tenderers.....	6
2.2 Eligible goods.....	6
2.3 Cost of tendering.....	6
2.4 Contents of Tender document.....	7
2.5 Clarification of documents.....	7
2.6 Amendment of documents.....	8
2.7 Language of tender.....	8
2.8 Documents comprising the tender.....	8
2.9 Tender forms.....	9
2.10 Tender prices.....	9
2.11 Tender currencies.....	9
2.12 Tenderers eligibility and qualifications.....	0
2.13 Goods' eligibility and conformity to tender documents.....	10
2.14 Tender security.....	11
2.15 Validity of tenders.....	12
2.16 Format and signing of tenders.....	13
2.17 Sealing and marking of tenders.....	13
2.18 Deadline for submission of tender	14
2.19 Modification and withdrawal of tenders.....	14
2.20 Opening of tenders.....	15
2.21 Clarification of tenders.....	15
2.22 Preliminary examination.....	15
2.23 Conversion to single currency.....	16
2.24 Evaluation and comparison of tenders.....	16
2.25 Contacting the procuring entity.....	17
2.26 Award of contract.....	17
(a) Post qualification.....	17
(b) Award criteria.....	17
(c) Procuring entity's right to vary quantities....	18
(d) Procuring entity's right to accept or Reject any or all tenders	18
2.27 Notification of award.....	18
2.28 Signing of contract.....	18
2.29 Performance security.....	19
2.30 Corrupt or fraudulent practices.....	19

SECTION II - INSTRUCTIONS TO TENDERERS

2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

2.2 Eligible Goods

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

2.3 Cost of Tendering

2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

2.3.2 The price to be charged for the tender document shall not exceed Kshs.1,000/=

2.3.3 All firms found capable of performing the contract satisfactorily in accordance with the set prequalification criteria shall be prequalified.

2.4. The Tender Document

2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers

- (i) Invitation to Tender
- (ii) Instructions to tenderers
- (iii) General Conditions of Contract
- (iv) Special Conditions of Contract
- (v) Schedule of requirements
- (vi) Technical Specifications
- (vii) Tender Form and Price Schedules
- (viii) Tender Security Form
- (ix) Contract Form
- (x) Performance Security Form
- (xi) Bank Guarantee for Advance Payment Form
- (xii) Manufacturer's Authorization Form
- (xiii) Confidential Business Questionnaire

2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 Clarification of Documents

- 2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the Procuring entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.
- 2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

2.6 Amendment of Documents

- 2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.
- 2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

2.7 Language of Tender

- 2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for

purposes of interpretation of the tender, the English translation shall govern.

2.8 Documents Comprising of Tender

2.8.1 The tender prepared by the tenderers shall comprise the following components

- (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
- (b) documentary evidence established in accordance with paragraph 2.1 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
- (c) documentary evidence established in accordance with paragraph 2.2 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
- (d) tender security furnished in accordance with paragraph 2.14

2.9 Tender Forms

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

2.10 Tender Prices

2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract

2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the entity.

2.10.3 Prices quoted by the tenderer shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22

2.10.4 The validity period of the tender shall be 150 days from the date of opening of the tender.

2.11 Tender Currencies

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

2.12 Tenderers Eligibility and Qualifications

2.12.1 Pursuant to paragraph 2.1. The tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.

2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1

2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;

- (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.
- (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
- (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Documents

2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity

to the tender documents of all goods which the tenderer proposes to supply under the contract

2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.

2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:

- (a) a detailed description of the essential technical and performance characteristic of the goods;
- (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the Procuring entity; and
- (c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.14 Tender Security

2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount specified in the Appendix to Invitation to Tenderers.

- 2.14.2 The tender security shall be in the amount of 0.5 – 2 per cent of the tender price.
- 2.14.3 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7
- 2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company in the form provided in the tender documents or another form acceptable to the Procuring entity and valid for thirty (30) days beyond the validity of the tender.
- 2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non responsive, pursuant to paragraph 2.22
- 2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible as but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.
- 2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28
- 2.14.8 The tender security may be forfeited:
- (a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form;
or
 - (b) in the case of a successful tenderer, if the tenderer fails:
 - (i) to sign the contract in accordance with paragraph 2.27
or
 - (ii) to furnish performance security in accordance with paragraph 2.28

2.15 Validity of Tenders

- 2.15.1 Tenders shall remain valid for 150 days or as specified in the Invitation to tender after the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non responsive.
- 2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

2.16 Format and Signing of Tender

- 2.16.1 The Procuring entity shall prepare One Copy of the tender, clearly marking each "ORIGINAL TENDER" as appropriate but the Tenderers shall submit Two copies, the Original copy and one marked 'COPY TENDER'. In the event of any discrepancy between them, the original shall govern.
- 2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unamended printed literature, shall be initialed by the person or persons signing the tender.
- 2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

2.17 Sealing and Marking of Tenders

- 2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.

2.17.2 The inner and outer envelopes shall:

- (a) Be addressed to the Procuring entity at the address given in the Invitation to Tender:
- 1.1 (b) Bear, tender number and name in the Invitation for Tenders and the words, **“DO NOT OPEN BEFORE 31st March, 2017, at 11:00 a.m.**

The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared “late”.

2.17.3 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender’s misplacement or premature opening.

2.18 **Deadline for Submission of Tenders**

1.2 Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 no later than **31st March, 2017, at 11:00 a.m.**

2.18.1 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

2.19 **Modification and Withdrawal of Tenders**

2.19.1 The tenderer may modify or withdraw its tender after the tender’s submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring Entity prior to the deadline prescribed for submission of tenders.

2.19.2 The Tenderer’s modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.

2.19.3 No tender may be modified after the deadline for submission of tenders.

2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7

2.19.5 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.

2.19.6 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

2.20 Opening of Tenders

1.3 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, at **31st march, 2017, at 11:00 a.m.**

2.20.1 and in the location specified in the Invitation to Tender.

The tenderers' representatives who are present shall sign a register evidencing their attendance.

2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.

2.20.3 The Procuring entity will prepare minutes of the tender opening.

2.21 Clarification of Tenders

2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the

response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.

2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.22 Preliminary Examination

2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.

2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantify, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail

2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.

2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non conformity.

2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, the procuring entity will convert these currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

2.24 Evaluation and Comparison of Tenders

2.24.1 The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22

2.24.2 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

2.24.3 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

2.25 Preference

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 15%

2.26 Contacting the Procuring entity

2.26.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.

2.26.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.27 Award of Contract

(a) Post-qualification

2.27.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.

2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.

2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

(b) Award Criteria

2.27.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined **to be the lowest evaluated tender**, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

(c) Procuring entity's Right to Vary quantities

2.27.5 The Procuring entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions.

(d) Procuring entity's Right to Accept or Reject Any or All Tenders

2.27.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time

prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action

2.28 Notification of Award

2.28.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.

2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties

2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

2.29 Signing of Contract

2.29.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.

2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

2.30 Performance Security

2.30.1 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.

2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

2.31 Corrupt or Fraudulent Practices

2.31.1 The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;

- (i) “corrupt practice” means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution; and
- (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Procuring entity of the benefits of free and open competition;

2.31.2 The procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.

2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

Appendix to Instructions to Tenderers

Notes on the Appendix to the Instruction to Tenderers

1. The Appendix to instructions to tenderers is intended to assist the procuring entity in providing specific information in relation to the corresponding clause in the instructions to Tenderers included in Section II and has to be prepared for each specific procurement.
2. The procuring entity should specify in the appendix information and requirements specific to the circumstances of the procuring entity, the goods to be procured and the tender evaluation criteria that will apply to the tenders.
3. In preparing the Appendix the following aspects should be taken into consideration;
 - (a) The information that specifies and complements provisions of Section II to be incorporated
 - (b) Amendments and/or supplements if any, to provisions of Section II as necessitated by the circumstances of the goods to be procured to be also incorporated.
4. Section II should remain unchanged and can only be amended through the Appendix.
5. Clauses to be included in this part must be consistent with the public procurement law and the regulations.

Appendix to Instructions to Tenderers

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
2.1.1	<i>All bidders duly registered with pharmacy and poisons board and dealing with the said items</i>
2.18.1	4th July, 2016, at 11:00 a.m.
2.29.1	<i>As in 2.18.1 above</i>
2.29.1	N/A

SECTION III: GENERAL CONDITIONS OF CONTRACT

Table of Clauses

	Page
3.1 Definitions.....	24
3.2 Application.....	24
3.3 Country of Origin.....	24
3.4 Standards.....	25
3.5 Use of Contract documents and information.....	25
3.6 Patent Rights.....	25
3.7 Performance security.....	25
3.8 Inspection and Tests.....	26
3.9 Packing.....	27
3.10 Delivery and documents.....	27
3.11 Insurance	27
3.12 Payment.....	27
3.13 Price.....	28
3.14 Assignments.....	28
3.15 Sub contracts.....	28
3.16 Termination for default.....	28
3.17 Liquidated damages.....	29
3.18 Resolution of Disputes.....	29
3.19 Language and law.....	29
3.20 Force Majeure.....	29

SECTION III - GENERAL CONDITIONS OF CONTRACT

3.1 Definitions

3.1.1 In this Contract, the following terms shall be interpreted as indicated:-

- (a) “The Contract” means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
- (c) “The Goods” means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
- (d) “The Procuring entity” means the organization purchasing the Goods under this Contract.
- (e) “The Tenderer” means the individual or firm supplying the Goods under this Contract.

3.2 Application

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment

3.3 Country of Origin

3.3.1 For purposes of this clause, “Origin” means the place where the Goods were mined, grown or produced.

3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

3.4 Standards

- 3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 Use of Contract Documents and Information

- 3.5.1 The tenderer shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.
- 3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above
- 3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

3.6 Patent Rights

- 3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

3.7 Performance Security

- 3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security in the amount specified in Special Conditions of Contract.

- 3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.
- 3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.
- 3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

3.8 Inspection and Tests

- 3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.
- 3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.
- 3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the Procuring entity.
- 3.8.4 The Procuring entity's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the equipment having previously been inspected,

tested and passed by the Procuring entity or its representative prior to the equipment delivery.

3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 Packing

3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.

3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

3.10 Delivery and Documents

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

3.11 Insurance

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

3.12 Payment

3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract

3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

3.13 Prices

3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.

3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

3.13.3 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.

3.13.4 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

3.14. Assignment

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

3.15 Subcontracts

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

3.16 Termination for default

3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part

- (a) if the tenderer fails to deliver any or all of the goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity

- (b) if the tenderer fails to perform any other obligation(s) under the Contract
- (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract

3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar goods.

3.17 Liquidated Damages

3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.18 Resolution of Disputes

3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract

3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

3.19 Language and Law

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

3.20 Force Majeure

- 3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

SECTION IV - SPECIAL CONDITIONS OF CONTRACT

Notes on Special Conditions of Contract

The clauses in this section are intended to assist the procuring entity in providing contract-specific information in relation to corresponding clauses in the General Conditions of Contract.

The provisions of Section IV complement the General Conditions of Contract included in Section III, specifying contractual requirements linked to the special circumstances of the procuring entity and the goods being procured. In preparing Section IV, the following aspects should be taken into consideration.

- (a) Information that complement provisions of Section III must be incorporated and
- (b) Amendments and/or supplements to provisions of Section III, as necessitated by the circumstances of the goods being procured must also be incorporated.

SECTION IV - SPECIAL CONDITIONS OF CONTRACT

4.1. Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over these in the GCC.

1. Prices quoted must be Net and in Kenya shillings and be inclusive of all Government taxes and delivery charges to **Nyeri county Headquarters** and must remain valid for one hundred and fifty days (150) days from the tender closing date and time.
2. The Government reserves the right to change the quantities without giving reasons or notice to the supplier.
3. No Tender document will be accepted after the official closing time as specified on the advertisement.
4. Candidates are required to submit copies of the following **Certified** documents;

PRELIMINARIES STAGE

- a. **Business name registration certificate or certificate of incorporation – (3-points)**
- b. **Valid KRA Tax Compliance certificate (4-points)**
- c. **Valid County Government Business Permit (3-points)**
- d. **Audit report for the business for the last two years**
 - i. **Documents should be certified by the relevant authority, especially approved commissioner for oaths (3-points)**
5. Tenderers must quote only one price per item.
6. The items will be procured on as and when required basis upon issuance of an approved purchase order.

7. Index mechanism to adjust prices will be based on relevant public information.(CPI, Inflation, exchange rate and prevailing market prices)
8. Tender will be valid **up to 30th June, 2017** effective from the date of award.
9. Tenderers must complete the following:
 - a. **Form of tender- filled, signed and stamped – (3-points)**
 - b. **Confidential business questionnaire form-filled, signed and stamped – (2-points)**
10. As part of assessment of financial capability the Tenderer is required to provide a bank credit reference letter, from the respective bank clearly stipulating the line of credit (Overdraft facilities) accessible to a bidder, and credit worthiness or any other relevant information.
11. The Tenderers **must** give in writing a guarantee that they will be capable of supplying '**quality**' items within the specified time/date.
(2-points)
12. Special group certificate for people with disability is a mandatory requirement failure to submit, it will lead to automatic disqualification.
13. Tenderers must submit both original and copy of the standard tender documents, failure to submit the two documents.
14. Relevant forms (as stipulated in section VII, standard forms) must be completed.
15. Tenderers should note that no substitution, alteration, change of format or modification to standard tender document is allowed. Tenderers are only allowed to add other relevant additional information to the tender documents.

I/We hereby certify that I/We have read the special conditions of the contract (Section IV) and confirm that I/We have understood and I/We shall abide by them.

Tenderers Name

Signature

Date

Official Stamp

SECTION VI - SCHEDULE OF REQUIREMENTS
TENDER NO. CGN/LH&PP/86/2016-2017

SUPPLY AND DELIVERY OF SURVEYING TOOLS AND EQUIPMENTS

TECHNICAL STAGE

Technical Specifications for GNSS Equipment

The table below outlines the minimum technical specifications of the required a high end, multi-constellation, multi-frequency, fully integrated set, conveniently sized and able to offering optional measuring choices for most common survey tasks.

ONE BASE AND TWO ROVERS

Specification	Minimum/Mandatory Requirement
GNSS Characteristics	240 GNSS channels
	GNSS Constellation
	• GPS L1C/A, L1P(Y), L2C, L2P(Y), L5 • GLONASS L1C/A, L1P, L2C/A, L2P, L3 • BeiDou (Phase II) B1, B2 • Galileo E1, E5a, E5b • QZSS L1C/A, L1-SAIF, L1C, L2C, L5 • SBAS L1C/A, L5 (WAAS, EGNOS, MSAS, GAGAN, SDCM) • IRNSS L5
	• Unit should support Full utilization of signals from all 6 GNSS systems (GPS, GLONASS, BeiDou, Galileo, QZSS and SBAS) • Unit should support Enhanced GNSS-centric algorithm: fully-independent GNSS signal tracking and optimal data processing, including GPS-only, GLONASS-only or Bei Dou-only solution (Autonomous to full RTK) • The unit should feature fast Search engine for quick acquisition and re-acquisition of GNSS signals
	• Patented SBAS ranging for using SBAS code& carrier observations and orbits in RTK processing
	• Patented Strobe™ Correlator for reduced GNSS multi-path
	• Up to 20 Hz real-time raw data (code & carrier and position output)
	• Supported data formats: ATOM, CMR, CMR+, RTCM 2.1, 2.2, 2.3, 3.0, 3.1 and 3.2 (including MSM), CMRx and sCMRx (rover only)

Specification	Minimum/Mandatory Requirement
	NMEA 0183 messages output
Real-Time Accuracy (RMS)	SBAS (WAAS/EGNOS/MSAS/GAGAN) - Horizontal < 50 cm - Vertical <85 cm
	Real-Time DGPS position - Horizontal 25 cm (0.82 ft.) + 1 ppm - Vertical 50 cm (1.64 ft.)+ 1 ppm
	Real-Time Kinematic Position (RTK) - Horizontal 8 mm + 1.0 ppm - Vertical 15 mm + 1.0 ppm
	Network RTK - Horizontal 8 mm + 0.5 ppm - Vertical 15 mm + 0.5 ppm
Real-Time Performance	Instant-RTK® Initialization - Typically 2-second for baselines < 20 km 99.9% reliability
	RTK Initialization range: Over 40 km
Post-Processing Accuracy (RMS)	Static & Fast Static - Horizontal 3 mm + 0.5 ppm - Vertical 5 mm + 0.5 ppm
	High -Precision Static - Horizontal 3 mm + 0.1 ppm - Vertical 3.5 mm + 0.4 ppm
Data logging Characteristics	Recording Interval: 0.1 - 999 seconds
Physical Characteristics	Size: Not bigger than 22.2 x 19.4 x 7.5 cm (8.7 x 7.6 x 3.0 in)
	Weight: Not more than 1.2 Kgs
User Interface	Graphical PMOLED display
I/O Interface	- RS232 serial link - USB 2.0/UART - Bluetooth 2.1 + EDR - Wi-Fi (802.11 b/g/n) 3.5G quad-band GSM (850/900/1800/1900MHz) / penta-band UMTS module (800/850/900/1900/2100 MHz)
Memory	2 GB internal memory NAND Flash (1.5 GB user data) - Support for over a year of 15 sec. raw GNSS data from 14 satellites - Support for SD/SDHC internal memory card (up to 32GB)
Operation	- The unit should feature the following modes of operation - RTK rover & base - RTK network rover: VRS, FKP, MAC - NTRIP, Direct IP

Specification	Minimum/Mandatory Requirement
	• CSD mode • Post-processing
Environmental Characteristics	• Operating temperature: -40° to +65°C (-40° to +149°F) • Storage temperature: -40° to +85°C (-40° to +185°F) • Humidity: 100% condensing • IP67 waterproof, sealed against sand and dust • Drop: 2m pole drop on concrete • Shock: ETS300 019 • Vibration: MIL-STD-810F
Power Characteristics	• 2 Li-Ion hot-swappable batteries, 38.5 Wh (2 x 7.4 V, 2600 mAh) • Battery life time (two batteries): 10 hrs (GNSS On, and GSM or UHF Rx On) • External DC power: 9-28 V
Radios	• The unit should have both Internal and External Radios for the Base Unit and Internal Radio for the Rover Unit. The Internal Radio should operate at least on 2WattsUHF 430-470MHz while the External Radio should not be more than 35WattsUHF 430-470MHz. Operating range for the internal 2Watts UHF radio should be 3 – 7km or better while that of external 35Watts UHF radio should be 40 – 70km or better.
Hot-Swappable batteries	• The unit should offer hot swapping of batteries to enable the user work for longer periods in the field without requiring to switch off the base unit.
Inside-the-Rod Antenna	• The unit should provide for UHF Antennae protection
Anti-Theft Protection Technology	• This technology should allow the surveyor to lock the device to a specific location and make it unusable if the device is moved elsewhere. • The device should generate an audio alert and show an alert message on its display if device is disturbed, moved or stolen. • The unit should be able to send SMS or e-mail to the surveyor's mobile phone or computer and provides its current coordinates allowing tracking of its position and facilitating recovery of the receiver.
Startup Protection	• The unit should feature start up protection where a user is prompted for password when switching on the GNSS receiver to prevent unauthorized use.
SMS and Email Alerts	• The unit should utilize unique combination of communication technologies for SMS (text message) and e-mail alerts as well as regular Internet or VRS connectivity. SMS (text messages) should be used to monitor and configure the receiver. Likewise, The unit should also

Specification	Minimum/Mandatory Requirement
	connect to the Internet from the field using Wi-Fi hotspots, where available.
Trimble RTX Capable	The unit should offer support for Trimble RTX correction services which offer a wide range of accuracy requirements ranging from better than 4 cm accuracies, up to submeter accuracies, without the need of an RTK base station or cellular coverage. It should receive the corrections via cellular/IP.
Backup RTK	The unit should feature backup RTK where during RTK outages, rover automatically connects to a secondary correction source hence no loss in productivity.
RTK Bridge	The unit should feature RTK bridge where one is able to retransmit corrections from cellular modem via the internal UHF radio to unlimited number of rovers.
e-Level	The unit should feature an e-Level where the instrument can be levelled using the build-in electronic tiltmeter. It should be displayed on both Front Panel and field software for both base and rover operations.
Web User Interface	The unit should feature a web user interface where one will be able to monitor and configure receiver via Wi-Fi with laptop or mobile phone. This provides for monitoring the unit base remotely hence no need of Data Collector for configuration, Running Static and Stop and Go, outputting dedicated messages to different ports and activating receiver options like RTX.
GNSS Controller/Data Collector	The unit should be supplied with a rugged data collector that meets the minimum specifications below: - IP68 rated rugged for any environment 15 hour battery life - Numeric, backlit keypad 3.75G dual-band GSM/CDMA modem 5 MP camera with flash and geotagging - Integrated Bluetooth® and Wi-Fi - Full-color VGA display 1.0 GHz processor - Microsoft® Windows® Embedded Handheld (WEHH) 6.5
Field Data Collection Software	- A field data collection software should be provided with the unit and should be compatible with the field controller. - The software should feature extensive support for projections and calibrations. - All GNSS staking routines should be supported by the software. - The software should support RTK, Network RTK and static surveys. - Extensive data collection routines with easy to use, step-

Specification	Minimum/Mandatory Requirement
	by-step setup features should be possible. • Software should have all the fundamental features required to properly manage a survey job.
Office Processing Software	• An office software should be provided with the unit. • The software should be able to process data from all the GNSS constellations. • Software should provide easy data management, fast and powerful processing, quality assurance and complete survey project control.
Standard GNSS Unit Deliverables	• GNSS receiver with Internal radio • Tripod • Tribrach + Tribrach Adapter • Data Collector + Field Software + Range Pole Bracket • Office Processing Software • External radio + GPS Interface Cable • External Battery + Battery Charger • Hard case container for transport • Quick Start Guide Documentation
Warranty	• 2 year manufacturer warranty • Possibility of extending warranty by 1 year increments
Technical Support & Maintenance	• Technical support for the unit should be provided during the warranty period either through email, phone call or visit to our site. • The support should include aspects such as: re-installation and configuration, installation of firmware or software updates and diagnosis of issues resulting from manufacturer fault.
Training	Training should be provided and it should be able to cover; system components, GNSS unit Setup and a demonstration of how to carry out survey work in the field and in the office.

TECHNICAL SPECIFICATIONS FOR TOTAL STATION

Specification	Minimum/Mandatory Requirement			
Operating System	Unit should have Windows CE touch-screen			
Reflectorless Measurement Mode	Unit should support reflectorless measurements			
Distance Measurement	Range with specified prisms (Good conditions) - With reflector sheet 5 cm x 5 cm (2 in x 2 in) 1.5 m to 3000 m (4.9 ft to 886 ft) - With single prism 6.25 cm (2.5 in) 1.5m to 5,000 m (4.9 ft to 9,843 ft)			
Range reflectorless mode	Good	Normal	Difficult	
	KGCix (18%)	280 m	250 m	200 m
	KGCix (90%)	500 m	500 m	300 m
Shortest possible range	1.5m (4.9 ft)			
Accuracy (Precise mode)	(Standard Deviation based on ISO 17123-4) - Prism; (2+2 ppm × D) mm - Reflectorless; (3+2 ppm x D) mm			
Measuring interval (Prism mode)	- Precise mode: 1.5 S - Normal mode: 0.8 S			
Reflectorless mode	- Precise mode: 1.8 S - Normal mode: 1.0 S			
Least count	- Precise mode: 1 mm (0.002 ft) - Normal mode: 10 mm (0.02 ft)			
Angle Measurement	ISO 17123-3 accuracy (horizontal and vertical); 3"			
	Reading system; Absolute encoder			
	Circle diameter; 62 mm (2.4 in)			
	Horizontal/Vertical angle; Diametrical			
	Minimum increment - Degree: 1"; - Gon: 0.1 mgon			
Telescope	Tube length; 125 mm (4.9 in)			
	Image ; Erect			
	Magnification; 30×			
	Effective diameter of objective; 45 mm (1.7 in)			
	EDM diameter ; 50 mm (1.9 in)			
	Field of view; 1°20'			
	Resolving power; 3"			
	Minimum focusing distance; 1.5 m (4.9 ft)			

Specification	Minimum/Mandatory Requirement
	• Laser Pointer; Coaxial Red Light
Tilt Sensor	• Type; Dual-axis • Method; Liquid-electric detection • Compensation range; 3.5'
Communications	• 1 x serial (RS-232C) • 2 x USB (host and client) • Wireless communications • Integrated Bluetooth
Power	• Internal Li-ion battery (x2) • Output voltage; 3.8 V DC
Hot Swappable Batteries	• The unit should feature dual hot swappable batteries
Operating time	• Approx. 7.5 hours (continuous distance/angle measurement) • Approx. 16 hours (distance/angle measurement every 30 s) • Approx. 20 hours (continuous angle measurement)
Charging time	• Full charge; 4 hours
Optical plummet	• Image; Erect • Magnification; 3× • Field of view; 5° • Focusing range; 0.5 m (1.6 ft) to ∞
Tribrach	• Detachable
Display	• Dual face • Display face 1; Backlit, graphic LCD (128x64 pixel) • Display face 2; Backlit, graphic LCD (128x64 pixel)
Laser plummet	• Optional (4 levels)
Memory	• 128 MB RAM, 128MB Flash memory • Point Memory 10,000 records
Processor	• Marvell PXA300 X Scale 624 MHz
Dimensions	• Dimensions (W x D x H); 149 mm x 145 mm x 306 mm
Weight (approx.)	• Main unit (without batteries); 3.8 kg (8.4 lb) • Battery; 0.1 kg (0.2 lb)

Specification	Minimum/Mandatory Requirement
	• Carrying case; 2.3 kg (5.1 lb)
Environmental	• Operating temperature range ; 20 °C to +50 °C (– 4 °F to +122 °F) • Storage temperature range ; 25 °C to +60 °C (–13 °F to +140 °F) • Temperature range ; 40 °C to +60 °C (–40 °F to +140 °F) • Barometric pressure; 400 mmHg to 999 mmHg/533 hPa to 1,332 hPa/15.8 inHg to 39.3 inHg • Dust and water protection; (IP66)
Office software	• An office software should be provided with the unit that will be used to process data collected from the field.
Standard deliverables	Total Station should be supplied with the following: • Onboard field software (Qty 1) • Tribrach (Qty 1) • Tripod (Qty 1) • Plastic Carrying Case for transport (Qty 1) • Prism Pole (Qty 1) • Single Prism Set (Qty 1)
Warranty	• 1 year manufacturer warranty • Possibility of extending warranty by 1 year increments
Support and Maintenance	• Technical support for the unit should be provided during the warranty period either through email, phone call or visit to our site. • The support should include aspects such as: re-installation and configuration, installation of firmware or software updates and diagnosis of issues resulting from manufacturer fault.
Training	• Training for XXX should be provided and it should cover and Introduction to Total Station components; Total Station setup and configuration; as well as practical field demonstration and office related operations and exercises

TECHNICAL EVALUATION MATRIX

S/NO	TECHNICAL REQUIREMENTS	MAXIMUM MARKS ALLOCATION	
	<u>GNSS RTK SYSTEMS</u> SPECIFICATION-5 POINTS - Unit should support Full utilization of signals from all 6 GNSS systems (GPS, GLONASS, BeiDou, Galileo, QZSS and SBAS) - Unit should support Enhanced GNSS-centric algorithm: fully-independent GNSS signal tracking and optimal data processing, including GPS-only, GLONASS-only or BeiDou-only solution (Autonomous to full RTK) - The unit should feature fast Search engine for quick acquisition and re-acquisition of GNSS signals	60	
	Patented SBAS ranging for using SBAS code & carrier observations and orbits in RTK processing		
	Patented Strobe™ Correlator for reduced GNSS multi-path		
	Up to 20 Hz real-time raw data (code & carrier and position output)		
	Supported data formats: ATOM, CMR, CMR+, RTCM 2.1, 2.2, 2.3, 3.0, 3.1 and 3.2 (including MSM), CMRx and sCMRx (rover only)		
	ACCURACY-5 POINTS SBAS (WAAS/EGNOS/MSAS/GAGAN) - Horizontal < 50 cm - Vertical < 85 cm		
	Real-Time DGPS position - Horizontal 25 cm (0.82 ft.) + 1 ppm - Vertical 50 cm (1.64 ft.) + 1 ppm		
	Real-Time Kinematic Position (RTK) - Horizontal 8 mm + 1.0 ppm - Vertical 15 mm + 1.0 ppm		
	Network RTK - Horizontal 8 mm + 0.5 ppm - Vertical 15 mm + 0.5 ppm		
	Instant-RTK® Initialization		

	- Typically 2-second for baselines < 20 km 99.9% reliability		
	RTK Initialization range: Over 40 km		
	Static & Fast Static - Horizontal 3 mm + 0.5 ppm - Vertical 5 mm + 0.5 ppm		
	High –Precision Static - Horizontal 3 mm + 0.1 ppm - Vertical 3.5 mm + 0.4 ppm		
	Recording Interval: 0.1 - 999 seconds		
	HARDWARE-15 POINTS Size: Not bigger than 22.2 x 19.4 x 7.5 cm (8.7 x 7.6 x 3.0 in)		
	Weight: Not more than 1.2 Kgs		
	Graphical PMOLED display		
	- RS232 serial link - USB 2.0/UART - Bluetooth 2.1 + EDR - Wi-Fi (802.11 b/g/n) 3.5G quad-band GSM (850/900/1800/1900MHz) / penta-band UMTS module (800/850/900/1900/2100 MHz)		
	2 GB internal memory NAND Flash (1.5 GB user data) - Support for over a year of 15 sec. raw GNSS data from 14 satellites - Support for SD/SDHC internal memory card (up to 32GB)		
	- The unit should feature the following modes of operation 2 RTK rovers & base - RTK network rover: VRS, FKP, MAC - NTRIP, Direct IP - CSD mode - Post-processing		
	- Operating temperature: -40° to +65°C (-40° to +149°F) - Storage temperature: -40° to +85°C (-40° to +185°F) - Humidity: 100% condensing - IP67 waterproof, sealed against sand and dust - Drop: 2m pole drop on concrete - Shock: ETS300 019 - Vibration: MIL-STD-810F		

	• 2 Li-Ion hot-swappable batteries, 38.5 Wh (2 x 7.4 V, 2600 mAh) • Battery life time (two batteries): 10 hrs (GNSS On, and GSM or UHF Rx On) • External DC power: 9-28 V		
	• The unit should have both Internal and External Radios for the Base Unit and Internal Radio for the Rover Unit. The Internal Radio should operate at least on 2WattsUHF 430-470MHz while the External Radio should not be more than 35WattsUHF 430-470MHz. Operating range for the internal 2Watts UHF radio should be 3 – 7km or better while that of external 35Watts UHF radio should be 40 – 70km or better.		
	• The unit should offer hot swapping of batteries to enable the user work for longer periods in the field without requiring to switch off the base unit.		
	• The unit should provide for UHF Antennae protection		

	SOFTWARE-15 POINTS • A field data collection software should be provided with the unit and should be compatible with the field controller. • The software should feature extensive support for projections and calibrations. • All GNSS staking routines should be supported by the software. • The software should support RTK, Network RTK and static surveys. • Extensive data collection routines with easy to use, step-by-step setup features should be possible. • Software should have all the fundamental features required to properly manage a survey job.		
	• An office software should be provided with the unit. • The software should be able to process data from all the GNSS constellations. • Software should provide easy data management, fast and powerful processing, quality assurance and complete survey project control.		
	DATA COLLECTOR/CONTROLLER - 5 POINTS • IP68 rated rugged for any environment • 15 hour battery life		

	• Numeric, backlit keypad • 3.75G dual-band GSM/CDMA modem • 5 MP camera with flash and geotagging • Integrated Bluetooth® and Wi-Fi • Full-color VGA display • 1.0 GHz processor														
	TOTAL STATION-10 POINTS														
	Minimum/Mandatory Requirement														
	• Unit should have Windows CE touch-screen														
	• Unit should support reflectorless measurements														
	Range with specified prisms (Good conditions)														
	• With reflector sheet 5 cm x 5 cm (2 in x 2 in) • 1.5 m to 3000 m (4.9 ft to 886 ft) • With single prism 6.25 cm (2.5 in) • 1.5m to 5,000 m (4.9 ft to 9,843 ft)														
	Reflectorless mode														
	<table> <tr> <td>Good</td><td>Normal</td><td>Difficult</td><td></td></tr> <tr> <td>KGCix (18%)</td><td>280 m</td><td>250 m</td><td>200 m</td></tr> <tr> <td>KGCix (90%)</td><td>500 m</td><td>500 m</td><td>300 m</td></tr> </table>	Good	Normal	Difficult		KGCix (18%)	280 m	250 m	200 m	KGCix (90%)	500 m	500 m	300 m		
Good	Normal	Difficult													
KGCix (18%)	280 m	250 m	200 m												
KGCix (90%)	500 m	500 m	300 m												
	• 1.5m (4.9 ft)														
	• (Standard Deviation based on ISO 17123-4) • Prism; (2+2 ppm × D) mm • Reflectorless; (3+2 ppm x D) mm														
	• Precise mode: 1.5 S • Normal mode: 0.8 S														
	• Precise mode: 1.8 S • Normal mode: 1.0 S														
	• Precise mode: 1 mm (0.002 ft) • Normal mode: 10 mm (0.02 ft)														
	• ISO 17123-3 accuracy (horizontal and vertical); 3"														
	• Reading system; Absolute encoder														
	• Circle diameter; 62 mm (2.4 in)														
	• Horizontal/Vertical angle; Diametrical														
	Minimum increment														
	• Degree: 1"; • Gon: 0.1 mgon														
	• Tube length; 125 mm (4.9 in)														
	• Image ; Erect														
	• Magnification; 30×														
	• Effective diameter of objective; 45 mm (1.7 in)														
	• EDM diameter ; 50 mm (1.9 in)														
	• Field of view; 1°20'														
	• Resolving power; 3"														

	• Minimum focusing distance; 1.5 m (4.9 ft)		
	• Laser Pointer; Coaxial Red Light		
	• Type; Dual-axis • Method; Liquid-electric detection • Compensation range; 3.5'		
	• 1 x serial (RS-232C) • 2 x USB (host and client) • Wireless communications • Integrated Bluetooth		
	• Internal Li-ion battery (x2) • Output voltage; 3.8 V DC		
	• The unit should feature dual hot swappable batteries		
	• Approx. 7.5 hours (continuous distance/angle measurement) • Approx. 16 hours (distance/angle measurement every 30 s) • Approx. 20 hours (continuous angle measurement)		
	• Full charge; 4 hours		
	• Image; Erect • Magnification; 3× • Field of view; 5° • Focusing range; 0.5 m (1.6 ft) to ∞		

TRAINING-5 POINTS

ACCESSORIES

1.	Heavy Duty Telescopic tripod	1	
2.	Telescopic Plumbing prism pole complete with a prism and prism holder and plumbing bubble	1	
3.	Single Prism Holder Set single prism, prism holder with target, tribrach, tribrach adaptor) in a case	1	
4.	Survey Umbrella, canvas	1	
5.	Telescopic tripod, Aluminium	1	
6.	Automatic Level Model AT-B2, supplied complete with tripod and 5metres levelling staff	2	
7.	Handheld GPS, Garmin 78	2	
8.	3m Ranging rods	6	
9.	30m steel tape on an open frame	1	
10.	50m steel tape on an open frame	1	
11.	100m steel tape on an open frame	1	
12.	Walkie Talkie	1	
	TOTAL		

EVALUATION CRITERIA

No.	Stages	Points allocation	Remarks
1.	Preliminaries	20	
2.	Technical	60	
3.	Financial	20	
	Total points	100	

SECTION VIII - STANDARD FORMS

Notes on the sample Forms

1. Form of Tender - The form of tender must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.
2. Confidential Business Questionnaire Form - This form must be completed by the tenderer and submitted with the tender documents.
3. Tender Security Form - When required by the tender documents the tender shall provide the tender security either in the form included herein or in another format acceptable to the procuring entity.
4. Contract Form - The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract Form shall be completed after contract award and should incorporate the accepted contract price.
5. Performance Security Form - The performance security form should not be completed by the tenderers at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the form provided herein or in another form acceptable to the procuring entity.
6. Bank Guarantee for Advance Payment Form - When Advance payment is requested for by the successful bidder and agreed by the procuring entity, this form must be completed fully and duly signed by the authorized officials of the bank.
7. Manufacturers Authorization Form - When required by the tender documents this form must be completed and submitted with the tender documents. This form will be completed by the manufacturer of the goods where the tenderer is an agent.

8.1 **FORM OF TENDER**

TO: _____ [Name of Employer] _____ [Date]
_____ [Name of Contract]

Dear Sir,

1. In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct, install and complete such Works and remedy any defects therein for the sum of Kshs. _____ [Amount in figures] Kenya Shillings _____ [Amount in words]
2. We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Project Manager's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Appendix to Conditions of Contract.
3. We agree to abide by this tender until _____ [Insert date], and it shall remain binding upon us and may be accepted at any time before that date.
4. Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us.
5. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this _____ day of _____ 20_____

Signature _____ in the capacity of _____

duly authorized to sign tenders for and on behalf of
_____ [Name of Employer]
of _____ [Address of Employer]

Witness; Name _____

Address _____

Signature _____

Date _____

8.2 CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2 (c) whichever applied to your type of business
You are advised that it is a serious offence to give false information on this form

Part 1 – General:

Business Name

Location of business premises.

Plot No..... Street/Road

Postal Address Tel No. Fax E mail

Nature of Business

Registration Certificate No.

Maximum value of business which you can handle at any one time – Kshs.

Name of your bankers Branch

Part 2 (a) – Sole Proprietor

Your name in full Age

Nationality Country of origin

- Citizenship details

Part 2 (b) Partnership

Given details of partners as follows:

Name	Nationality	Citizenship Details	Shares
1.			
.....			
.....			
.....			

Part 2 (c) – Registered Company

Private or Public

State the nominal and issued capital of company-

Nominal Kshs.

Issued Kshs.

Given details of all directors as follows

Name	Nationality	Citizenship Details	Shares
1.			
2.			
3.			
4.			
5.			

Date Signature of Candidate

- If a Kenya Citizen, indicate under “Citizenship Details” whether by Birth, Naturalization or Registration.

8.3 TENDER SECURITY FORM

Whereas [name of the tenderer]
(hereinafter called “the tenderer”) has submitted its tender dated
..... [date of submission of tender] for the supply, installation
and commissioning of [name and/or description
of the equipment] (hereinafter called “the Tender”)
..... KNOW ALL PEOPLE by
these presents that WE of
..... having our registered office at
..... (Hereinafter called “the Bank”), are bound unto
..... [Name of procuring entity} (Hereinafter called “the
Procuring entity”) in the sum of for which
payment well and truly to be made to the said Procuring entity, the
Bank binds itself, its successors, and assigns by these presents.
Sealed with the Common Seal of the said Bank this _____
day of _____ 20 _____.

THE CONDITIONS of this obligation are:-

1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer on the Tender Form; or
2. If the tenderer, having been notified of the acceptance of its Tender by the Procuring entity during the period of tender validity:
 - (a) fails or refuses to execute the Contract Form, if required; or
 - (b) fails or refuses to furnish the performance security in accordance with the Instructions to tenderers;

We undertake to pay to the Procuring entity up to the above amount upon receipt of its first written demand, without the Procuring entity having to substantiate its demand, provided that in its demand the Procuring entity will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This tender guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.

[Signature of the bank] _____
(Amend accordingly if provided by Insurance Company)

8.4 CONTRACT FORM

THIS AGREEMENT made the _____ day of _____ 20 _____
between [*name of Procurement entity*] of [*Country of Procurement entity*] (Hereinafter called “the Procuring entity) of the one part and
..... [*Name of tenderer*] of [*City and country of tenderer*]
(Hereinafter called “the tenderer”) of the other part;

WHEREAS the Procuring entity invited tenders for certain goods] and has accepted a tender by the tenderer for the supply of those goods in the sum of
..... [*Contract price in words and figures*] (Hereinafter called “the Contract Price).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:

2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:

- (a) the Tender Form and the Price Schedule submitted by the tenderer
- (b) the Schedule of Requirements
- (c) the Technical Specifications
- (d) the General Conditions of Contract
- (e) the Special Conditions of contract; and
- (f) the Procuring entity’s Notification of Award

3. In consideration of the payments to be made by the Procuring entity to the tenderer as hereinafter mentioned, the tender hereby covenants with the Procuring entity to provide the goods and to remedy defects therein in conformity in all respects with the provisions of the Contract

4. The Procuring entity hereby covenants to pay the tenderer in consideration of the provisions of the goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by _____ the _____ (for the Procuring entity

Signed, sealed, delivered by _____ the _____ (for the tenderer in the presence of _____

(Amend accordingly if provided by Insurance Company)

8.5 PERFORMANCE SECURITY FORM

To
[*name of Procuring entity*]

WHEREAS [*name of tenderer*]
(hereinafter called “the tenderer”) has undertaken , in pursuance of Contract
No. _____ [*reference number of the contract*] dated _____
20 _____ to supply
[*description of goods*] (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the
tenderer shall furnish you with a bank guarantee by a reputable bank for the
sum specified therein as security for compliance with the Tenderer’s
performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to
you, on behalf of the tenderer, up to a total of
[*amount of the guarantee in words and figure*] and we undertake to pay you,
upon your first written demand declaring the tenderer to be in default under
the Contract and without cavil or argument, any sum or sums within the
limits of [*amount of guarantee*] as aforesaid, without
you needing to prove or to show grounds or reasons for your demand or the
sum specified therein.

This guarantee is valid until the _____ day of _____ 20 _____

Signed and seal of the Guarantors

[*name of bank or financial institution*]

[*address*]

[*date*]

8.6 BANK GUARANTEE FOR ADVANCE PAYMENT FORM

To
[name of Procuring entity]

[name of tender]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends the General Conditions of Contract to provide for advance payment, [name and address of tenderer] (hereinafter called “the tenderer”) shall deposit with the Procuring entity a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words].

We, the [bank or financial institutions], as instructed by the tenderer, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the Procuring entity on its first demand without whatsoever right of objection on our part and without its first claim to the tenderer, in the amount not exceeding [amount of guarantee in figures and words]

We further agree that no change or addition to or other modification of the terms of the Contract to be performed there-under or of any of the Contract documents which may be made between the Procuring entity and the tenderer, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid in full effect from the date of the advance payment received by the tenderer under the Contract until [date].

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

8.7 MANUFACTURER’S AUTHORIZATION FORM

To *[name of the Procuring entity]*

WHEREAS*[name of the manufacturer]* who are established and reputable manufacturers of *[name and/or description of the goods]* having factories at *[address of factory]* do hereby authorize *[name and address of Agent]* to submit a tender, and subsequently negotiate and sign the Contract with you against tender No. *[reference of the Tender]* for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.

[signature for and on behalf of manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent.

8.8 LETTER OF NOTIFICATION OF AWARD

Address of Procuring Entity

To: _____

RE: Tender No. _____

Tender Name _____

This is to notify that the contract/s stated below under the above mentioned tender have been awarded to you.

1. Please acknowledge receipt of this letter of notification signifying your acceptance.
2. The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3. You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.

(FULL PARTICULARS) _____

SIGNED FOR ACCOUNTING OFFICER

8.9 FORM RB 1

REPUBLIC OF KENYA
PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NO.....OF.....20.....

BETWEEN

.....APPLICANT

AND

.....RESPONDENT (*Procuring Entity*)

Request for review of the decision of the..... (*Name of the Procuring Entity*) of
.....dated the...day of20.....in the matter of Tender No.....of
.....20...

REQUEST FOR REVIEW

I/We.....,the above named Applicant(s), of address: Physical
address.....Fax No.....Tel. No.....Email, hereby request the Public
Procurement Administrative Review Board to review the whole/part of the above mentioned
decision on the following grounds , namely:-

- 1.
- 2.
- etc.

By this memorandum, the Applicant requests the Board for an order/orders that: -

- 1.
- 2.
- etc

SIGNED(Applicant)

Dated on.....day of/...20...

FOR OFFICIAL USE ONLY

Lodged with the Secretary Public Procurement Administrative Review Board on day of
.....20.....

SIGNED
Board Secretary